



PEROLINI

LUXE TILES

EXCLUSIVE
|
INNO-
VATION



PEROLINI

LUXE TILES

 **UAE**

TASHEEL ROUNDABOUT,
AL SAJAA INDUSTRIAL AREA,
SHARJAH -UAE

+971566299377 | +971522297071

 **INDIA**

MAHENDRANAGAR CHOKDI,
RAMESHWAR COMPLEX, MORBI-363642.
(GUJ), INDIA.

+919446379696 | +919495339877


Web : www.perolini.co

Email : sales@perolini.co

ABOUT US

Welcome to PEROLINI CERAMICS, where you can discover a selection of products and solutions to help you create an ideal living and enthralling work space. We started our journey since 1973. Today, we are a recognized name in the industry. It is our endeavor to deliver endless choice and enviable quality at endearing prices. We have developed an understanding of what customers want, through years of experience and we constantly strive to deliver it. Our customers are pampered with oodles of attention and spoiled for choice. This is because - Your satisfaction is our inspiration!

We leave no stone unturned as our premier products are manufactured with superior quality Ceramic raw materials ensuring ultimate tile strength, glaze and finishing. We are committed to supply the highest quality products and strive to surpass customer expectations. We understand the value of money and ensure that our customers feel completely content for what they spend at Perolini Ceramics in terms of cost and quality. We offer a host of constantly attempt to deliver products that keep up with the latest trends in the industry.



APPLICATIONS AREA




| | | | | | |
|--|---|---|--|---|---|
|  LIVING ROOM |  BATHROOM |  SHOWROOM |  BAR & RESTAURANT |  RECEPTION |  KITCHEN |
|  FACADE |  SPA & WELLNESS CENTERS |  HOTELS |  RETAIL MALLS |  VENTILATED CURTAIN |  OUTDOOR |

TECHNICAL SPECIFICATIONS

| | | | | | | |
|--|---|---|---|---|--|---|
|  HIGH STRENGTH |  ANTISKID |  ECO FRIENDLY |  SCRATCH RESISTANT |  STAIN RESISTANT |  CHEMICAL RESISTANT |  LOW MAINTENANCE |
|--|---|---|---|---|--|---|


**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES



2249




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE



**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES



2026


FINISH
GLOSSY



-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE


**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




**SUPER
BLACK**




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




2237

AVAILABLE IN
MATT FINISH

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




2021




**FINISH
GLOSSY**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES



2027




**FINISH
GLOSSY**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**


**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



2028


FINISH
GLOSSY



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE


**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



**CREMA
MARFIL**

**FINISH
GLOSSY**




-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES



2023




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE


**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



2042




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE


**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES




2040




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES



**2045
(TIERRA BIANCO)**

FINISH
GLOSSY




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



2041




FINISH
GLOSSY

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




2254

AVAILABLE IN
MATT FINISH

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



**MARVEL
ONYX**


FINISH
GLOSSY



-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE


**GLOSSY
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM





PEROLINI
LUXE TILES



**PLAIN
WHITE**

**FINISH
GLOSSY**




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



**TRAVIS
BEIGE LIGHT**

**FINISH
GLOSSY**




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




**TRAVIS
GREY**

**FINISH
GLOSSY**



-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**





TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO-13006/ EN14411 GROUP BIa | CAPRON VITRIFIED TILES VALUE | TEST METHOD |
|---|--|------------------------------------|--------------|
| REGULATORY PROPERTIES | | | |
| 1) Deviation In Length & Width | ±0.50% | ±0.10% | ISO-10545-2 |
| 2) Deviation In Thickness | ±5.00% | ±2.00% | ISO-10545-2 |
| 3) Straightness Of Sides | ±0.50% | ±0.10% | ISO-10545-2 |
| 4) Rectangularity | ±0.50% | ±0.10% | ISO-10545-2 |
| 5) Surface Flatness | ±0.50% | ±0.10% | ISO-10545-2 |
| 6) Color Differences | Unaltered | No Change | ISO-10545-16 |
| 7) Glossiness | As Per Manufacturer | Min. 70 % | Glossometer |
| STRUCTURAL PROPERTIES | | | |
| 1) Water Absorption | ≤0.50% | ≤0.05% | ISO-10545-3 |
| 2) Apparent Density | >2.00 gm/cc | >2.28 gm/cc | DIN 51082 |
| MASSIVE MECHANICAL PROPERTIES | | | |
| 1) Flexural Modulus Of Rupture | Min. 35N/mm ² | Min. 40N/mm ² | ISO-10545-4 |
| 2) Flexural Breaking Strength | Min. 1300 N | Min. 2000 N | ISO-10545-4 |
| 3) Impact Resistance | As Per Manufacturer | Min. 0.55 | ISO-10545-5 |
| SURFACE MECHANICAL PROPERTIES | | | |
| 1) Deep Abrasion Resistance | Max. 175mm ³ | Max. 132mm ³ | ISO-10545-6 |
| 2) Moh's Hardness | Min. 6 | 8* | EN101 |
| THERMO HYGROMETRIC PROPERTIES | | | |
| 1) Frost Resistance | No Damage | Frost Proof | ISO-10545-12 |
| 2) Thermal Shock Resistance | No Damage | No Damage | ISO-10545-9 |
| 3) Moisture Expansion | Nil | Nil | ISO-10545-10 |
| 4) Thermal Expansion | Max 9.0x10 ⁻⁶ | Max 6.5x10 ⁻⁶ | ISO-10545-8 |
| CHEMICAL PROPERTIES | | | |
| 1) Chemical Resistance | No Damage | No Damage | ISO-10545-13 |
| 2) Stain Resistance | Resistant | Resistant | ISO-10545-14 |
| SAFETY PROPERTIES | | | |
| 1) Slip Resistance(friction Co Efficient) | >0.40 | >0.40 | ISO-10545-17 |

PACKING DETAILS

| Sr. No. | Size | Thickness (approx.) | Pieces / Box | Area/Box | Wt./Box (approx.) |
|---------|------------|------------------------|--------------|---------------|----------------------|
| 1 | 600x1200mm | 8.5 mm | 2 pcs. | 15.50 sq. ft. | 28.5-29 kgs. |
| 2 | 600x600mm | 7.9mm | 4 pcs. | 15.50 sq. ft. | 26.5-27 kgs. |