



PEROLINI

LUXE TILES

EXCLUSIVE
|
INNO-
VATION



PEROLINI

LUXE TILES

 **UAE**

TASHEEL ROUNDABOUT,
AL SAJAA INDUSTRIAL AREA,
SHARJAH -UAE

+971566299377 | +971522297071

 **INDIA**

MAHENDRANAGAR CHOKDI,
RAMESHWAR COMPLEX, MORBI-363642.
(GUJ), INDIA.

+919446379696 | +919495339877


Web : www.perolini.co

Email : sales@perolini.co

ABOUT US

Welcome to PEROLINI CERAMICS, where you can discover a selection of products and solutions to help you create an ideal living and enthralling work space. We started our journey since 1973. Today, we are a recognized name in the industry. It is our endeavor to deliver endless choice and enviable quality at endearing prices. We have developed an understanding of what customers want, through years of experience and we constantly strive to deliver it. Our customers are pampered with oodles of attention and spoilt for choice. This is because - Your satisfaction is our inspiration!

We leave no stone unturned as our premier products are manufactured with superior quality Ceramic raw materials ensuring ultimate tile strength, glaze and finishing. We are committed to supply the highest quality products and strive to surpass customer expectations. We understand the value of money and ensure that our customers feel completely content for what they spend at Perolini Ceramics in terms of cost and quality. We offer a host of constantly attempt to deliver products that keep up with the latest trends in the industry.



APPLICATIONS AREA




| | | | | | |
|--|---|---|--|---|---|
|  LIVING ROOM |  BATHROOM |  SHOWROOM |  BAR & RESTAURANT |  RECEPTION |  KITCHEN |
|  FACADE |  SPA & WELLNESS CENTERS |  HOTELS |  RETAIL MALLS |  VENTILATED CURTAIN |  OUTDOOR |

TECHNICAL SPECIFICATIONS

| | | | | | | |
|--|---|---|---|---|--|---|
|  HIGH STRENGTH |  ANTISKID |  ECO FRIENDLY |  SCRATCH RESISTANT |  STAIN RESISTANT |  CHEMICAL RESISTANT |  LOW MAINTENANCE |
|--|---|---|---|---|--|---|


**MATT
SURFACE**

**THICKNESS
20MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



**ALIVAR
BROWN**

FINISH
MATT



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



**MATT
SURFACE**

**THICKNESS
20MM**



**ALIVAR
CREMA**


**FINISH
MATT**




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE

**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES




**MATT
SURFACE**

**THICKNESS
20MM**




**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES



**ALIVAR
GREY**

**FINISH
MATT**




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
20MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




**CORE STONE
NERO**




**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES



**BLAZE
BIANCO**

**FINISH
MATT**



-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**



**MATT
SURFACE**


**THICKNESS
9MM**

**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



3237

AVAILABLE IN
GLOSSY FINISH

FINISH
MATT




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




3032



FINISH
MATT

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**



3030

**FINISH
MATT**



-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**

**GLAZED
VITRIFIED TILES**

600X600MM




**MATT
SURFACE**

**THICKNESS
9MM**



3035

**FINISH
MATT**



-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**


**GLAZED
VITRIFIED TILES**

600X600MM




**MATT
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



**NORWAY
BROWN**

**FINISH
MATT**




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




3254

AVAILABLE IN
GLOSSY FINISH

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



3255




**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




MATT
SURFACE

THICKNESS
9MM




GLAZED
VITRIFIED TILES

600X600MM



PEROLINI
LUXE TILES



3034




FINISH
MATT

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



3033




**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**



**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




3266




**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**



**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES




3267




**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




**MATT
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**

600X600MM





PEROLINI
LUXE TILES




**3036
PLAIN WHITE**

**FINISH
MATT**



-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE



**MATT
SURFACE**

**THICKNESS
9MM**



3037



**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**

**GLAZED
VITRIFIED TILES**

600X600MM




PEROLINI
LUXE TILES




**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



PEROLINI
LUXE TILES



3038




**FINISH
MATT**

-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE



**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES



3238




**FINISH
MATT**

- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**




**GLAZED
VITRIFIED TILES**


600X600MM



PEROLINI
LUXE TILES




3249



**FINISH
MATT**

-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**





PEROLINI
LUXE TILES

TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO-13006/ EN14411 GROUP BIa | CAPRON VITRIFIED TILES VALUE | TEST METHOD |
|---|--|------------------------------|--------------|
| REGULATORY PROPERTIES | | | |
| 1) Deviation In Length & Width | ±0.50% | ±0.10% | ISO-10545-2 |
| 2) Deviation In Thickness | ±5.00% | ±2.00% | ISO-10545-2 |
| 3) Straightness Of Sides | ±0.50% | ±0.10% | ISO-10545-2 |
| 4) Rectangularity | ±0.50% | ±0.10% | ISO-10545-2 |
| 5) Surface Flatness | ±0.50% | ±0.10% | ISO-10545-2 |
| 6) Color Differences | Unaltered | No Change | ISO-10545-16 |
| 7) Glossiness | As Per Manufacturer | Min. 70 % | Glossometer |
| STRUCTURAL PROPERTIES | | | |
| 1) Water Absorption | ≤0.50% | ≤0.05% | ISO-10545-3 |
| 2) Apparent Density | >2.00 gm/cc | >2.28 gm/cc | DIN 51082 |
| MASSIVE MECHANICAL PROPERTIES | | | |
| 1) Flexural Modulus Of Rupture | Min. 35N/mm ² | Min. 40N/mm ² | ISO-10545-4 |
| 2) Flexural Breaking Strength | Min. 1300 N | Min. 2000 N | ISO-10545-4 |
| 3) Impact Resistance | As Per Manufacturer | Min. 0.55 | ISO-10545-5 |
| SURFACE MECHANICAL PROPERTIES | | | |
| 1) Deep Abrasion Resistance | Max. 175mm ³ | Max. 132mm ³ | ISO-10545-6 |
| 2) Moh's Hardness | Min. 6 | 8* | EN101 |
| THERMO HYGROMETRIC PROPERTIES | | | |
| 1) Frost Resistance | No Damage | Frost Proof | ISO-10545-12 |
| 2) Thermal Shock Resistance | No Damage | No Damage | ISO-10545-9 |
| 3) Moisture Expansion | Nil | Nil | ISO-10545-10 |
| 4) Thermal Expansion | Max 9.0x10 ⁻⁶ | Max 6.5x10 ⁻⁶ | ISO-10545-8 |
| CHEMICAL PROPERTIES | | | |
| 1) Chemical Resistance | No Damage | No Damage | ISO-10545-13 |
| 2) Stain Resistance | Resistant | Resistant | ISO-10545-14 |
| SAFETY PROPERTIES | | | |
| 1) Slip Resistance(friction Co Efficient) | >0.40 | >0.40 | ISO-10545-17 |

PACKING DETAILS

| Sr. No. | Size | Thickness (approx.) | Pieces / Box | Area/Box | Wt./Box (approx.) |
|---------|------------|---------------------|--------------|---------------|-------------------|
| 1 | 600x1200mm | 8.5 mm | 2 pcs. | 15.50 sq. ft. | 28.5-29 kgs. |
| 2 | 600x600mm | 7.9mm | 4 pcs. | 15.50 sq. ft. | 26.5-27 kgs. |