



#### UAE

TASHEEL ROUNDABOUT, AL SAJAA INDUSTRIAL AREA, SHARJAH -UAE

+971566299377 | +971522297071

Web : www.perolini.co Email : sales@perolini.co

#### 

MAHENDRANAGAR CHOKDI, RAMESHWAR COMPLEX, MORBI-363642. (GUJ), INDIA.


+919446379696 | +919495339877

## EXCLUSIVE I INNO-VATION

# ABOUT US

Welcome to PEROLINI CERAMICS, where you can discover a selection of products and solutions to help you create an ideal living and enthralling work space. We started our journey since 1973. Today, we are a recognized name in the industry. It is our endeavor to deliver endless choice and enviable quality at endearing prices. We have developed an understanding of what customers want, through years of experience and we constantly strive to deliver it. Our customers are pampered with oodles of attention and spoilt for choice. This is because - Your satisfaction is our inspiration!

We leave no stone unturned as our premier products are manufactured with superior quality Ceramic raw materials ensuring ultimate tile strength, glaze and finishing.We are committed to supply the highest quality products and strive to surpass customer expectations. We understand the value of money and ensure that our customers feel completely content for what they spend at Perolini Ceramics in terms of cost and quality. We offer a host of constantly attempt to deliver products that keep up with the latest trends in the industry.







## **APPLICATIONS** AREA

X


SCRATCH RESISTANT








THICKNESS 9MM






GLAZED VITRIFIED TILE





### THICKNESS 9MM






55237

### FINISH **PGVT**



GLAZED VITRIFIED TILE





### THICKNESS 9MM



55246

### FINISH **PGVT**





SCRATCH STAIN CHEMICAL LOW RESISTANT RESISTANT MAINTENANCE GLAZED VITRIFIED TILE





#### THICKNESS 9MM

HIGH STRENGTH ANTISKID


SCRATCH RESISTANT ٩

STAIN RESISTANT

ECO FRIENDLY

Ś


CHEMICAL LOW RESISTANT MAINTENANCE



55247


FINISH **PGVT** 

### GLAZED VITRIFIED TILE





THICKNESS 9MM



ECO FRIENDLY

F

CHEMICAL LOW RESISTANT MAINTENANCE

X

٩

STAIN RESISTANT


**i |--|**|·

SCRATCH RESISTANT


HIGH STRENGTH ANTISKID



FINISH **PGVT** 



GLAZED VITRIFIED TILE





## THICKNESS 9MM



55249


## FINISH **PGVT**





CHEMICAL LOW RESISTANT MAINTENANCE

GLAZED VITRIFIED TILE






THICKNESS 9MM



55250

FINISH **PGVT** 





CHEMICAL LOW RESISTANT MAINTENANCE GLAZED VITRIFIED TILE





## THICKNESS 9MM




55252





X **i**Hi HIGH STRENGTH ANTISKID ECO FRIENDLY F 

SCRATCH RESISTANT STAIN RESISTANT CHEMICAL LOW RESISTANT MAINTENANCE GLAZED VITRIFIED TILE





THICKNESS 9MM



55253

### FINISH **PGVT**






GLAZED VITRIFIED TILE






### THICKNESS 9MM



77221

FINISH MATT





GLAZED VITRIFIED TILE





### THICKNESS 9MM

HIGH STRENGTH ANTISKID

SCRATCH RESISTANT ٢


STAIN RESISTANT

ECO FRIENDLY

Ś


٢

CHEMICAL LOW RESISTANT MAINTENANCE



77223

FINISH MATT



GLAZED VITRIFIED TILE






### THICKNESS 9MM




77226

FINISH MATT






GLAZED VITRIFIED TILE






### THICKNESS 9MM




77227

### FINISH MATT





GLAZED VITRIFIED TILE






THICKNESS 9MM




77228

FINISH **PGVT** 





STAIN RESISTANT CHEMICAL LOW RESISTANT MAINTENANCE GLAZED VITRIFIED TILE





THICKNESS 9MM



X

STAIN RESISTANT

ECO FRIENDLY

F

CHEMICAL LOW RESISTANT MAINTENANCE


**i**Hi

SCRATCH RESISTANT


HIGH STRENGTH ANTISKID

CEMENTO GREY





GLAZED VITRIFIED TILE





THICKNESS 9MM

HIGH STRENGTH ANTISKID

SCRATCH RESISTANT STAIN RESISTANT

ECO FRIENDLY

٣Ŋ

CHEMICAL LOW RESISTANT MAINTENANCE



ELISIAN ONYX

### FINISH MATT




GLAZED VITRIFIED TILE






THICKNESS 9MM



### FENNO DARK GREY










CHEMICAL LOW RESISTANT MAINTENANCE

GLAZED VITRIFIED TILE





## THICKNESS 9MM



### IRIS **IVORY**


FINISH MATT



X **i i i** HIGH STRENGTH ANTISKID ECO FRIENDLY ٩ Ś Ţ SCRATCH RESISTANT




GLAZED VITRIFIED TILE






## THICKNESS 9MM





GLAZED VITRIFIED TILE





THICKNESS 9MM



X

STAIN RESISTANT

ECO FRIENDLY

F

CHEMICAL LOW RESISTANT MAINTENANCE

**IH**I

SCRATCH RESISTANT


HIGH STRENGTH ANTISKID

YELLOW WAVE

## FINISH **PGVT**



GLAZED VITRIFIED TILE





### THICKNESS 9MM

HIGH STRENGTH ANTISKID

SCRATCH RESISTANT STAIN RESISTANT

ECO FRIENDLY

٣Ŋ

٢

CHEMICAL LOW RESISTANT MAINTENANCE




### THASSOS BEIGE

### FINISH **PGVT**



### GLAZED VITRIFIED TILE






THICKNESS 9MM



2021

#### FINISH GLOSSY





2023



## FINISH GLOSSY



GLAZED VITRIFIED TILE 600X600MM





### THICKNESS 9MM



### 2026


### FINISH GLOSSY




HIGH STRENGTH ANTISKID ECO FRIENDLY

### FINISH GLOSSY

2027



GLAZED VITRIFIED TILE





THICKNESS 9MM








NORWAY BROWN

#### FINISH GLOSSY




2028

FINISH GLOSSY



GLAZED VITRIFIED TILE






### THICKNESS 9MM






### 3030








FINISH **MATT** 







GLAZED VITRIFIED TILE





#### THICKNESS 9MM





X

۲

STAIN RESISTANT

**iHi** 

]

SCRATCH RESISTANT

HIGH STRENGTH ANTISKID

ECO FRIENDLY


T

٢

CHEMICAL LOW RESISTANT MAINTENANCE


### 3033






### 3034

FINISH **MATT** 





### GLAZED VITRIFIED TILE






#### THICKNESS 9MM






### 3035






### 3036

#### FINISH **MATT**



### GLAZED VITRIFIED TILE







### THICKNESS 9MM



### 3037






### 3038

#### FINISH **MATT**



### GLAZED VITRIFIED TILE









### THICKNESS 9MM







### YELLOW WAVE

FINISH **MATT** 



### **THASSOS BEIGE**

FINISH **MATT** 



GLAZED VITRIFIED TILE





### THICKNESS 9MM








**CARRARA LUXE** 

FINISH **MATT** 




**BLAZE BIANCO** 

FINISH **MATT** 



GLAZED VITRIFIED TILE





## THICKNESS 9MM



ECO FRIENDLY

Ś

٢


CHEMICAL LOW RESISTANT MAINTENANCE

HIGH STRENGTH ANTISKID

<u>\_</u> SCRATCH RESISTANT ٢

STAIN RESISTANT


GLOSSY



FINISH GLOSSY

GLAZED VITRIFIED TILE


300X600MM 300X300MM







### THICKNESS 9MM




FINISH GLOSSY



GLAZED VITRIFIED TILE

300X600MM 300X300MM





THICKNESS 9MM




CHEMICAL LOW RESISTANT MAINTENANCE

<u>\_</u> SCRATCH RESISTANT

STAIN RESISTANT

GLAZED VITRIFIED TILE

300X600MM 300X300MM





## THICKNESS 9MM



1014

# FINISH GLOSSY




1018

FINISH GLOSSY




HIGH STRENGTH ANTISKID ECO FRIENDLLY

GLAZED VITRIFIED TILE






#### THICKNESS 9MM



GLAZED VITRIFIED TILE






> SCRATCH RESISTANT

STAIN RESISTANT CHEMICAL LOW RESISTANT MAINTENANCE

#### THICKNESS 9MM






7507

FINISH


GLOSSY


GLAZED VITRIFIED TILE





# THICKNESS 9MM







7560

FINISH GLOSSY

7580

FINISH

GLAZED VITRIFIED TILE





THICKNESS 9MM



ECO FRIENDLY

H

Ś

CHEMICAL LOW RESISTANT MAINTENANCE

X

ANTISKID

٢

STAIN RESISTANT

**I**HI

HIGH STRENGTH

SCRATCH RESISTANT 9022

FINISH



9024

FINISH MATT



GLAZED VITRIFIED TILE





# THICKNESS 9MM

٢

STAIN RESISTANT


SCRATCH RESISTANT Ś

٢

CHEMICAL LOW RESISTANT MAINTENANCE



GLAZED VITRIFIED TILE





#### THICKNESS 9MM



9219

FINISH MATT




9245

FINISH MATT





GLAZED VITRIFIED TILE





# THICKNESS 9MM


٢

STAIN RESISTANT

<u>]</u> SCRATCH RESISTANT T

٢

CHEMICAL LOW RESISTANT MAINTENANCE



9246

FINISH MATT




9390

FINISH MATT



GLAZED VITRIFIED TILE






THICKNESS 9MM



× HIGH STRENGTH ANTISKID ECO FRIENDLY ٢ Ś ٢ <u>\_</u> SCRATCH RESISTANT STAIN RESISTANT CHEMICAL LOW RESISTANT MAINTENANCE

EL 5038

GLAZED VITRIFIED TILE





THICKNESS 9MM

×

٢

STAIN RESISTANT

**i i i** 

SCRATCH RESISTANT

HIGH STRENGTH ANTISKID

ECO FRIENDLY

H

٢

CHEMICAL LOW RESISTANT MAINTENANCE




EL 5061

FINISH GLOSSY

EL 5062

FINISH GLOSSY GLAZED VITRIFIED TILE





THICKNESS 9MM




**TECHNO 1009** 

FINISH MATT



GLAZED VITRIFIED TILE





MATT Surface

THICKNESS 9MM WOODER Plank

200X1000MM



FINISH MATT

**N9-**

615354













D6-15247



MATT Surface

THICKNESS 9MM WOODER Plank

200X1000MM



MOIRE BEIGE



FINISH MATT














# MOIRE GREY







## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	CAPRON VITRIFIED TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	±5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70 %	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	≤0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIN	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm <sup>2</sup>	Min. 40N/mm <sup>2</sup>	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTII	ES		
1) Deep Abrasion Resistance	Max. 175mm <sup>1</sup>	Max, 132mm <sup>3</sup>	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	IES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x10 <sup>-6</sup>	Max 6.5x10 <sup>-6</sup>	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

## PACKING DETAILS

Sr. No.	Size	Thickness (approx.)	Pieces / Box	Area/Box	Wt./Box (approx.)
1	600x1200mm	8.5 mm	2 pcs.	15.50 sq. ft.	28.5-29 kgs.
2	600x600mm	7.9mm	4 pcs.	15.50 sq. ft.	26.5-27 kgs.