



 UAE

TASHEEL ROUNDABOUT,
AL SAJAA INDUSTRIAL AREA,
SHARJAH -UAE

+971566299377 | +971522297071

Web : www.perolini.co

Email : sales@perolini.co


 INDIA

MAHENDRANAGAR CHOKDI,
RAMESHWAR COMPLEX, MORBI-363642.
(GUJ), INDIA.

+919446379696 | +919495339877




EXCLUSIVE
|
INNO-
VATION



ABOUT US

Welcome to PEROLINI CERAMICS, where you can discover a selection of products and solutions to help you create an ideal living and enthralling work space. We started our journey since 1973. Today, we are a recognized name in the industry. It is our endeavor to deliver endless choice and enviable quality at endearing prices. We have developed an understanding of what customers want, through years of experience and we constantly strive to deliver it. Our customers are pampered with oodles of attention and spoilt for choice. This is because - Your satisfaction is our inspiration!

We leave no stone unturned as our premier products are manufactured with superior quality Ceramic raw materials ensuring ultimate tile strength, glaze and finishing. We are committed to supply the highest quality products and strive to surpass customer expectations. We understand the value of money and ensure that our customers feel completely content for what they spend at Perolini Ceramics in terms of cost and quality. We offer a host of constantly attempt to deliver products that keep up with the latest trends in the industry.

	300X 300MM	800X 1600MM	
	300X 600MM	200X 1000MM	
	600X 600MM		
	600X 1200MM		



APPLICATIONS AREA


 LIVING ROOM	 BATHROOM	 SHOWROOM	 BAR & RESTAURANT	 RECEPTION	 KITCHEN
 FACADE	 SPA & WELLNESS CENTERS	 HOTELS	 RETAIL MALLS	 VENTILATED CURTAIN	 OUTDOOR

TECHNICAL SPECIFICATIONS

 HIGH STRENGTH	 ANTISKID	 ECO FRIENDLY	 SCRATCH RESISTANT	 STAIN RESISTANT	 CHEMICAL RESISTANT	 LOW MAINTENANCE
--	---	---	---	---	--	---

GLOSSY
SURFACE

THICKNESS
9MM




GLAZED
VITRIFIED TILES

600X600MM



2249

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



2026

FINISH
GLOSSY




- | | | |
|---|---|--|
| 
HIGH STRENGTH | 
ANTISKID | 
ECO FRIENDLY |
| 
SCRATCH
RESISTANT | 
STAIN
RESISTANT | 
CHEMICAL
RESISTANT |
| | 
LOW
MAINTENANCE | |




GLOSSY
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



SUPER
BLACK

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE




**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**



600X600MM



2237

AVAILABLE IN
MATT FINISH

FINISH
GLOSSY




-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**



**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



2021

**FINISH
GLOSSY**




-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**



GLOSSY
SURFACE

THICKNESS
9MM




GLAZED
VITRIFIED TILES

600X600MM



2027

FINISH
GLOSSY




- 
HIGH STRENGTH
- 
ANTISKID
- 
ECO FRIENDLY
- 
SCRATCH
RESISTANT
- 
STAIN
RESISTANT
- 
CHEMICAL
RESISTANT
- 
LOW
MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



2028

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



**CREMA
MARFIL**

**FINISH
GLOSSY**




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



2023

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



2042

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



2040

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE




GLOSSY
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



2045
(TIERRA BIANCO)

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



2041

FINISH
GLOSSY



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH RESISTANT
- 

STAIN RESISTANT
- 


CHEMICAL RESISTANT
- 

LOW MAINTENANCE



GLOSSY
SURFACE


THICKNESS
9MM



2254

AVAILABLE IN
MATT FINISH

FINISH
GLOSSY



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE


GLAZED
VITRIFIED TILES

600X600MM



GLOSSY
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



MARVEL
ONYX

FINISH
GLOSSY




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




GLOSSY
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



PLAIN
WHITE

FINISH
GLOSSY




-  HIGH STRENGTH
-  ANTISKID
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  STAIN RESISTANT
-  CHEMICAL RESISTANT
-  LOW MAINTENANCE



**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



**TRAVIS
BEIGE LIGHT**

**FINISH
GLOSSY**




- | | | |
|----------------------|--------------------|-----------------------|
| | | |
| HIGH STRENGTH | ANTISKID | ECO FRIENDLY |
| | | |
| SCRATCH
RESISTANT | STAIN
RESISTANT | CHEMICAL
RESISTANT |
| | | |
| | | LOW
MAINTENANCE |



**GLOSSY
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**

600X600MM



**TRAVIS
GREY**

**FINISH
GLOSSY**



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH
RESISTANT
- 

STAIN
RESISTANT
- 


CHEMICAL
RESISTANT
- 

LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
20MM



GLAZED
VITRIFIED TILES

600X600MM



ALIVAR
BROWN

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
20MM



GLAZED
VITRIFIED TILES

600X600MM



ALIVAR
CREMA

FINISH
MATT



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH
RESISTANT
- 

STAIN
RESISTANT
- 


CHEMICAL
RESISTANT
- 

LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
20MM




GLAZED
VITRIFIED TILES

600X600MM



ALIVAR
GREY

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
20MM



GLAZED
VITRIFIED TILES

600X600MM



CORE STONE
NERO

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



BLAZE
BIANCO

FINISH
MATT



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH
RESISTANT
- 

STAIN
RESISTANT
- 


CHEMICAL
RESISTANT
- 

LOW
MAINTENANCE




**MATT
SURFACE**

**THICKNESS
9MM**



**GLAZED
VITRIFIED TILES**



600X600MM



3237

AVAILABLE IN
GLOSSY FINISH

FINISH
MATT




-  **HIGH STRENGTH**
-  **ANTISKID**
-  **ECO FRIENDLY**
-  **SCRATCH RESISTANT**
-  **STAIN RESISTANT**
-  **CHEMICAL RESISTANT**
-  **LOW MAINTENANCE**




MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3032

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



3030

FINISH
MATT



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH
RESISTANT
- 

STAIN
RESISTANT
- 


CHEMICAL
RESISTANT
- 

LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3035

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE




MATT
SURFACE

THICKNESS
9MM




GLAZED
VITRIFIED TILES

600X600MM



NORWAY
BROWN

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE




MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES


600X600MM



3254

AVAILABLE IN
GLOSSY FINISH

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3255

FINISH
MATT



- 

HIGH STRENGTH
- 

ANTISKID
- 

ECO FRIENDLY
- 

SCRATCH
RESISTANT
- 

STAIN
RESISTANT
- 


CHEMICAL
RESISTANT
- 

LOW
MAINTENANCE




MATT
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



3034

FINISH
MATT




- 
HIGH STRENGTH
- 
ANTISKID
- 
ECO FRIENDLY
- 
SCRATCH
RESISTANT
- 
STAIN
RESISTANT
- 
CHEMICAL
RESISTANT
- 
LOW
MAINTENANCE




MATT
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



3033

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3266

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3267

FINISH
MATT




- 
HIGH STRENGTH
- 
ANTISKID
- 
ECO FRIENDLY
- 
SCRATCH
RESISTANT
- 
STAIN
RESISTANT
- 
CHEMICAL
RESISTANT
- 
LOW
MAINTENANCE




MATT
SURFACE

THICKNESS
9MM





GLAZED
VITRIFIED TILES

600X600MM



3036
PLAIN WHITE


FINISH
MATT



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH
RESISTANT
- STAIN
RESISTANT
- CHEMICAL
RESISTANT
- LOW
MAINTENANCE

MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3037

FINISH
MATT




- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



GLAZED
VITRIFIED TILES

600X600MM



3038

FINISH
MATT



- 
HIGH STRENGTH
- 
ANTISKID
- 
ECO FRIENDLY
- 
SCRATCH
RESISTANT
- 
STAIN
RESISTANT
- 
CHEMICAL
RESISTANT
- 
LOW
MAINTENANCE



MATT
SURFACE

THICKNESS
9MM



3238

FINISH
MATT



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE


GLAZED
VITRIFIED TILES

600X600MM



MATT
SURFACE

THICKNESS
9MM




GLAZED
VITRIFIED TILES

600X600MM



3249

FINISH
MATT



- HIGH STRENGTH
- ANTISKID
- ECO FRIENDLY
- SCRATCH RESISTANT
- STAIN RESISTANT
- CHEMICAL RESISTANT
- LOW MAINTENANCE



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VITRIFIED TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	±5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70 %	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	≤0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAILS

Sr. No.	Size	Thickness (approx.)	Pieces / Box	Area/Box	Wt./Box (approx.)
1	600x1200mm	8.5 mm	2 pcs.	15.50 sq. ft.	28.5-29 kgs.
2	600x600mm	7.9mm	4 pcs.	15.50 sq. ft.	26.5-27 kgs.