



TASHEEL ROUNDABOUT, AL SAJAA INDUSTRIAL AREA, SHARJAH -UAE

+971566299377 | +971522297071

Web : www.perolini.co Email : sales@perolini.co

INDIA

MAHENDRANAGAR CHOKDI, RAMESHWAR COMPLEX, MORBI-363642. (GUJ), INDIA.

+919446379696 | +919495339877






EXCLUSIVE I INNOVATION

ABOUT US

Welcome to PEROLINI CERAMICS, where you can discover a selection of products and solutions to help you create an ideal living and enthralling work space. We started our journey since 1973. Today, we are a recognized name in the industry. It is our endeavor to deliver endless choice and enviable quality at endearing prices. We have developed an understanding of what customers want, through years of experience and we constantly strive to deliver it. Our customers are pampered with oodles of attention and spoilt for choice. This is because - Your satisfaction is our inspiration!

We leave no stone unturned as our premier products are manufactured with superior quality Ceramic raw materials ensuring ultimate tile strength, glaze and finishing. We are committed to supply the highest quality products and strive to surpass customer expectations. We understand the value of money and ensure that our customers feel completely content for what they spend at Perolini Ceramics in terms of cost and quality. We offer a host of constantly attempt to deliver products that keep up with the latest trends in the industry.









APPLICATIONS AREA



TECHNICAL SPECIFICATIONS







1004 - L



1004 - HL



1004 - FL








1005 - L



1005 - HL



1005 - FL







1006 - L



1006 - HL



1006 - FL



300X600MM 300X300MM





1007 - L



1007 - HL



1007 - FL








1008 - KT



1008 - HL-1



1008 - FL









1008 - L



1008 - HL-2



1008 - FL




300X600MM 300X300MM





1011 - L



1011 - HL



1011 - FL




300X600MM 300X300MM






1012 - L



1012 - HL




1012 - FL








1014 - L



1014 - HL




1014 - FL







1018 - L



1018 - HL



1018 - FL




300X600MM 300X300MM





1049 - L



1049 - HL



1049 - FL




300X600MM 300X300MM FINISH GLOSSY





1127 - L



1127 - HL








C-1034 - L



C-1034 - HL



C-1034 - FL



300X600MM 300X300MM







7507 - L



7507 - KT




7507 - FL




300X600MM 300X300MM

FINISH GLOSSY






7550



300X600MM 300X300MM





7560








7580







BLACK



300X600MM 300X300MM FINISH GLOSSY



WHITE










4144 - L



4144 - HL



4144 - FL




300X600MM 300X300MM






9024 - L



9024 - HL



9024 - FL







9025 - L



9025 - HL



9025 - FL



300X600MM 300X300MM






9027 - L



9027 - HL



9027 - FL




300X600MM 300X300MM





9028 - L



9028 - HL



9028 - FL




300X600MM 300X300MM





9219 - L



9219 - HL



9219 - FL







9245 - L



9245 - HL



9245 - D



300X600MM 300X300MM





9246 - L



9246 - HL



9246 - D







9247 - L



9247 - HL



9247 - FL



300X600MM 300X300MM





9390 - L



9390 - HL



9390 - FL








BLACK



300X600MM 300X300MM FINISH MATT



WHITE





300X600MM 300X300MM





9022 - L



9022 - HL



9022 - FL








EL - 5061







EL - 5062




300X600MM 300X300MM FINISH MATT






TECHNO 1009



THICKNESS 9MM



2249















GLAZED VITRIFIED TILES





THICKNESS 9MM



2026

























THICKNESS 9MM



SUPER BLACK

FINISH GLOSSY

















GLAZED VITRIFIED TILES






THICKNESS 9MM



2237

AVAILABLE IN MATT FINISH
















GLAZED VITRIFIED TILES





THICKNESS 9MM





600X600MM





2021















THICKNESS 9MM









2027


FINISH GLOSSY







THICKNESS 9MM



2028

FINISH GLOSSY





GLAZED VITRIFIED TILES





THICKNESS 9MM



CREMA MARFIL

FINISH GLOSSY




















THICKNESS 9MM




2023











THICKNESS 9MM




2042











THICKNESS 9MM



2040

FINISH GLOSSY


























THICKNESS 9MM



2045 (TIERRA BIANCO)

FINISH GLOSSY



























THICKNESS 9MM



2041


FINISH GLOSSY





GLAZED VITRIFIED TILES





THICKNESS 9MM



2254

AVAILABLE IN MATT FINISH




























THICKNESS 9MM



MARVEL ONYX

FINISH GLOSSY



























THICKNESS 9MM



FINISH

GLOSSY

























THICKNESS 9MM



TRAVIS BEIGE LIGHT

FINISH GLOSSY




























THICKNESS 9MM



TRAVIS GREY

FINISH GLOSSY




















THICKNESS 20MM



ALIVAR BROWN

FINISH **MATT**
























THICKNESS 20MM





600X600MM





ALIVAR CREMA

FINISH **MATT**




























THICKNESS 20MM



ALIVAR GREY

















GLAZED VITRIFIED TILES





THICKNESS 20MM



CORE STONE NERO

FINISH

MATT


























THICKNESS 9MM



BLAZE BIANCO

FINISH




























THICKNESS 9MM



3237

AVAILABLE IN GLOSSY FINISH

FINISH **MATT**





















GLAZED VITRIFIED TILES






THICKNESS 9MM





600X600MM





3032

FINISH **MATT**





















THICKNESS 9MM



3030






























THICKNESS 9MM








3035


FINISH MATT







THICKNESS 9MM



NORWAY BROWN
















GLAZED VITRIFIED TILES





THICKNESS 9MM



3254

AVAILABLE IN GLOSSY FINISH

FINISH **MATT**


























GLAZED VITRIFIED TILES





THICKNESS 9MM



3255

FINISH **MATT**






















GLAZED VITRIFIED TILES





THICKNESS 9MM



3034

















GLAZED VITRIFIED TILES





THICKNESS 9MM



3033

FINISH **MATT**




















GLAZED VITRIFIED TILES





THICKNESS 9MM




3266











THICKNESS 9MM



3267

FINISH **MATT**








GLAZED VITRIFIED TILES





THICKNESS 9MM



FINISH **MATT**


















GLAZED VITRIFIED TILES





THICKNESS 9MM



3037

FINISH **MATT**
































THICKNESS 9MM



3038

FINISH **MATT**























GLAZED VITRIFIED TILES





THICKNESS 9MM



3238

FINISH **MATT**


















GLAZED VITRIFIED TILES





THICKNESS 9MM



3249
























GLAZED VITRIFIED TILES





THICKNESS 9MM





AVAILABLE IN 600X600MM (MATT)

GLOSSY


















ECO FRIENDLY









THICKNESS 9MM



55254

AVAILABLE IN 600X600MM (MATT)

GLOSSY





SCRATCH RESISTANT





















GLAZED VITRIFIED TILE









AVAILABLE IN 600X600MM (MATT)

FINISH GLOSSY





























THICKNESS 9MM





AVAILABLE IN 600X600MM (MATT)

FINISH GLOSSY























GLAZED VITRIFIED TILE






THICKNESS 9MM




































THICKNESS 9MM











SCRATCH RESISTANT























THICKNESS 9MM





600X1200MM













SCRATCH RESISTANT























THICKNESS 9MM




























GLAZED VITRIFIED TILE





THICKNESS 9MM



55266

AVAILABLE IN 600X600MM (MATT)

FINISH GLOSSY




















ECO FRIENDLY










THICKNESS 9MM





AVAILABLE IN 600X600MM (MATT)

FINISH GLOSSY




























THICKNESS 9MM



55250

FINISH GLOSSY


























THICKNESS 9MM





55253




























THICKNESS 9MM





55256



















CHEMICAL LOW RESISTANT MAINTENANCE

GLAZED VITRIFIED TILE






THICKNESS 9MM





AVAILABLE IN 600X600MM (MATT)

GLOSSY





SCRATCH RESISTANT















ECO FRIENDLY













600X1200MM





55246






















ECO FRIENDLY






THICKNESS 9MM





55247




















ECO FRIENDLY



GLAZED VITRIFIED TILE







BURBERRY GREY


























GLAZED VITRIFIED TILE





THICKNESS 9MM



FINISH GLOSSY


















ECO FRIENDLY









THICKNESS 9MM



600X1200MM



55245

FINISH GLOSSY















































ECO FRIENDLY

































ECO FRIENDLY












































HIGH GLOSS SURFACE


THICKNESS 9MM



























THICKNESS 9MM



600X1200MM






77221









SCRATCH RES**I**STANT





















THICKNESS 9MM





77223





SCRATCH RESISTANT


















ECO FRIENDLY










THICKNESS 9MM



77226






















ECO FRIENDLY












THICKNESS 9MM





































THICKNESS 9MM





FINISH

77229




















GLAZED VITRIFIED TILES





THICKNESS 9MM





77230





SCRATCH RESISTANT
















GLAZED VITRIFIED TILES





THICKNESS 9MM



FINISH **MATT**
















ECO FRIENDLY









THICKNESS 9MM
























ECO FRIENDLY




GLAZED VITRIFIED TILES






THICKNESS 9MM



77231


















SCRATCH RESISTANT










GLAZED VITRIFIED TILES





THICKNESS 9MM









FINISH **MATT**





SCRATCH RES**I**STANT



















200X1000MM











MOIRE BEIGE



















STAIN CHEMICAL LOW RESISTANT RESISTANT MAINTENANCE

THICKNESS 9MM









FINISH **MATT**





SCRATCH RES**I**STANT

















200X1000MM











N9-615354





















WOODER PLANK

200X1000MM



D6-15247







SCRATCH RES**I**STANT

















THICKNESS 9MM





OAKLORE BIANCO

FINISH **MATT**



















SCRATCH STAIN CHEMICAL LOW RESISTANT RESISTANT RESISTANT MAINTENANCE

WOODER PLANK

200X1000MM



OAKLORE CEMENTO

FINISH **MATT**













SCRATCH RES**I**STANT









MATT SURFACE

THICKNESS 9MM





























CHEMICAL LOW RESISTANT MAINTENANCE



TECHNICAL SPECIFICATION

CILADA CTEDISTIC	STANDARD AS PER	\((\frac{1}{2}\)\(\fr	TEST METHOD				
CHARACTERISTIC	ISO-13006/ EN14411 GROUP Bla	VITRIFIED TILES VALUE	TEST METHOD				
REGULATORY PROPERTIES							
 Deviation In Length & Width Deviation In Thickness Straightness Of Sides Rectangularity Surface Flatness Color Differences Glossiness 	±0.50% ±5.00% ±0.50% ±0.50% ±0.50% Unaltered As Per Manufacturer	±0.10% ±2.00% ±0.10% ±0.10% ±0.10% No Change Min. 70 %	ISO-10545-2 ISO-10545-2 ISO-10545-2 ISO-10545-2 ISO-10545-16 Glossometer				
STRUCTURAL PROPERTIES							
Water Absorption Apparent Density	≤0.50% >2.00 gm/cc	≤0.05% >2.28 gm/cc	ISO-10545-3 DIN 51082				
MASSIVE MECHANICAL PROPERTIES							
Flexural Modulus Of Rupture Flexural Breaking Strength Impact Resistance	Min. 35N/mm² Min. 1300 N As Per Manufacturer	Min. 40N/mm² Min. 2000 N Min. 0.55	ISO-10545-4 ISO-10545-4 ISO-10545-5				
SURFACE MECHANICAL PROPERTIES							
Deep Abrasion Resistance Moh's Hardness	Max. 175mm³ Min. 6	Max. 132mm³ 8*	ISO-10545-6 EN101				
THERMO HYGROMETRIC PROPERTIES							
 Frost Resistance Thermal Shock Resistance Moisture Expansion Thermal Expansion 	No Damage No Damage Nil Max 9.0x10 ⁻⁶	Frost Proof No Damage Nil Max 6.5x10 ⁻⁶	ISO-10545-12 ISO-10545-9 ISO-10545-10 ISO-10545-8				
CHEMICAL PROPERTIES							
Chemical Resistance Stain Resistance	No Damage Resistant	No Damage Resistant	ISO-10545-13 ISO-10545-14				
SAFETY PROPERTIES							
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17				

PACKING DETAILS

Sr. No.	Size	Thickness (approx.)	Pieces / Box	Area/Box	Wt./Box (approx.)
1	600x1200mm	8.5 mm	2 pcs.	15.50 sq. ft.	28.5-29 kgs.
2	600x600mm	7.9 mm	4 pcs.	15.50 sq. ft.	26.5-27 kgs.